# POST-TENSIONING CHARACTERISTICS ASSUMED FOR DESIGN

I. Prestressing strand

Friction curvature coefficient : 0.20 Friction wobble coefficient : 0.0007/m : 6 mm Anchor set

2. Prestressing epoxy-coated monostrand (Tie-down cables only)

Friction curvature coefficient : N/A Friction wobble coefficient : 0.0007/m Anchor set : 6 mm

3. High strength rods (where applicable)

: 0.25 Friction curvature coefficient Friction wobble coefficient : 0.0007/m Anchor set : 2 mm

4. High strength PT rod (75 mm)

Friction curvature coefficient : 0.25 Friction wobble coefficient : 0.0012/m Anchor set : 2 mm

- 5. Prestressing strands shall conform to ASTM A416, low relaxation, 7-wire strands, with guaranteed minimum ultimate strength of 1860 MPa.
- 6. Prestressing epoxy-coated monostrands shall conform to ASTM A416, low relaxation, 7-wire strands, with guaranteed minimum ultimate strength of 1860 MPa.
- 7. High strength rods (ASTM A354 Grade BD) shall have a guaranteed minimum ultimate strenath of 965 MPa.
- 8. High strength rods (ASTM A354 Grade BC) shall have a guaranteed minimum ultimate strength of 793 MPa.
- 9. High strength rods (ASTM A722) shall have a guaranteed minimum ultimate strength of 1030 MPa.
- 10. High strength PT rods (75 mm) shall have a guaranteed minimum ultimate strength of 1030 MPa.

# PRETENSIONING/GROUTING SEQUENCE

- I. The pretensioning and grouting sequence of the Pier W2 prestressing strand tendons and of the Pier W2 high strength anchor rods (anchor bolts) shall be included with the Contractor's erection plan. The Contractor shall submit the erection plan along with the pretensioning and grouting sequence to the Engineer for review and approval.
- 2. The pretensioning and grouting sequence of the Pier TI (Tower) high strength anchor rods (anchor bolts) shall be included with the Contractor's erection plan. The Contractor shall submit the erection plan along with the pretensioning and grouting sequence to the Engineer for review and
- 3. The pretensioning and grouting sequence of the Pier E2 prestressing strand tendons and of the Pier E2 Bearing and Pier E2 Shear Key high strength anchor rods (anchor bolts) shall be included with the Contractor's erection plan. The Contractor shall submit the erection plan along with the pretensioning and grouting sequence to the Engineer for review and approval.

### STRESSING FORCE LIMITS

I. All high strength anchor rods (anchor bolts) shall be pretensioned by jacking to 70% of their ultimate tensile strength. unless noted otherwise.

- 2. Force in all permanent high strength prestressing tendons shall not exceed 70% of the guaranteed minimum ultimate strength of the tendon after seating.
- 3. Force in all permanent high strength rods (anchor bolts) shall not exceed 70% of the guaranteed minimum ultimate strength of the bar after seating.

#### Caltrans SF 80 13.2/13.9 981RI 1204 REGISTERED ENGINEER - CIVIL John Sur

12-6-04 PLANS APPROVAL DATE

The State of California or its officers or ag shall not be responsible for the accuracy or Y. LIN / MOFFATT & NICHOL

825 BATTERY STREET

SAN FRANCISCO, CA 94111

To get to the web site, go to: http://www.dot.ca.gov

o. <u>C 54648</u>

Exp. 12/31/05

CIVII

## CONCRETE

I. A minimum compressive strength of (36 MPa) (f'ci) shall be attained in the concrete of Pier W2 and Pier E2 crossbeams prior to stressing.

#### HIGH STRENGTH NONSHRINK GROUT

I. All high strength nonshrink grout shall attain a minimum compressive strength of f'ci=75% f'c (MPa) prior to being subjected to subsequent loading and before pretensioning operations.

#### PT DUCTS

- I. Ducts for prestressing strand tendons and high strength rods (anchor bolts) shall consist of galvanized corrugated steel ducts, unless noted otherwise.
- 2. Prebent ducts shall be used for prestressing tendons with radius less than 10 m.
- 3. Prestressing strand tendon suppliers shall provide and use extra strong steel pipes (ASTM A53 Type S. Grade B (fy = 240 MPa) and necessary hardware connecting the steel pipes to galvanized corrugated steel ducts where radius of PT ducts is less than 5000 mm.

4. Based on the Contractor's stressing sequence, local strengthening of PT ducts (e.g. extra strong steel pipes) at critical location's may be required.

# GROUT FOR PT DUCTS/PIPE SLEEVES

- I. Tie-down cables with epoxy-coated monostrands shall not be grouted.
- 2. Ducts shall be grouted with nonshrink grout (f'c=60 MPa).
- 3. Nonshrink grout shall attain a strength of 36 MPa (f'ci) minimum before being subjected to stresses due to subseqent loading.

FOR REVISIONS ONLY

07/21/06 CONCRETE STRENGTH. ISD NV 23 MN I DESCRIPTIONS BY CH'D CCO\* MARK DATE REVISIONS

CONTRACT CHANGE ORDER NO. SHEET \_\_\_\_ OF \_\_\_

I. After completion of all pretensioning and grouting operations, the blockout closure reinforcement shall be bent into place over the anchors before the blockouts are filled with concrete (f'c=60 MPa).

> ALL DIMENSIONS ARE IN SAN FRANCISCO OAKLAND BAY BRIDGE MILLIMETERS UNLESS OTHERWISE SHOWN EAST SPAN SEISMIC SAFETY PROJECT BRIDGE NO. SELF-ANCHORED SUSPENSION BRIDGE 34-0006L/ Manzanarez (SUPERSTRUCTURE & TOWER) PROJECT ENGINEER KILOMETER POS PRESTRESSING NOTES 3.2/13.9 DISREGARD PRINTS BEARING

ILE => I:\bb\04-012001\sas\contract plans and cco\cco\cco\*23\agptn01.dgr

. Valizadeh/V. Toan/Y.L./W.L./F.C. DESIGN OVERSIGHT Ren Valzadel Vongo. Jan- / Y. Lu

DESIGN J. Sun DETAILS J. Sun DUANTITIES J. Sun PREPARED FOR THE

J. Duxbury

J. Duxbury

J. Duxbury

**BLOCKOUT CONCRETE** 

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION ORIGINAL SCALE IN MILLIMETERS 0 10 20 30 40 50 60 70 80 90 100

04/08/02 07/04/02 12/19/02